

Rotary coax cable stripper
No replacement cassettes needed
SP7600 ~ SP7602

2 blades model



SP7600	RG59 RG62 RG 6	
SP7601	RG58 RG59 RG62	
SP7602	RG58,59 RG62, 6 3C2V	


Rotary coax cable stripper
No replacement cassettes needed
SP7603 ~ SP7605

3 blades model



SP7603	RG59 RG62 RG 6	
SP7604	RG58 RG59	
SP7605	RG213	

Rotary coax cable stripper
No replacement cassettes needed
SP76055



Adjusting the stripping length by following steps :

1. Use the HEX wrench to push out the shaft of the body and the pin of the blade.
2. Use a tweezer to remove the blades into position as Fig.C.
3. Reinstall the shaft and blade pin.

for cable RG-58 (3C2V), 59/62 (4C2V), RG-6 (5C2V), 6QS.

Stripping tool
SP7607



SP7607 4 3/8" universal stripping tool

for wire (UTP / STP) or wire and multi - conductor cable from 3.5mm - 9mm Max.


SP76071 Easy stripper for UTP / STP wire

for stripping wire diameter 5Ø - 6Ømm, made of poly-resin, economic type.

SP76072 Keystone jack fixture



Impact and punch down tool
SP76081 x



- SP76081 Series impact tool
For seating wire into terminal block or cut off wire end after terminated.
- SP76082 Series punch down tool
With impact function W/O impact pressure adjusting control.
- SP76083 Series punch down tool
Economic type W/O impact function.



Blade	Item No.	Terminal block
A	SP7608A	for use on 66 type
B	SP7608B	for use on 110/88 type
C	SP7608C	both 66 & 110/88 type
D	SP7608D	use on 630A phone jack
E	SP7608E	for use on krone type

Coax crimping tool
SP76090 ~ SP76097



Item No.	Hex	Hex	Hex	For crimping RG type cable
SP76090	.322" 8.2mm	.255" 6.48mm	.255" 6.48mm	59,62,6
SP76091	.255" 6.48mm	.213" 5.4mm	.068" 1.72mm	BNC,TNC,UHF,SMA-58,59,62
SP76092	.406" 10.3mm		.102" 2.6mm	UHF-8
SP76093	.448" 11.4mm	.322" 8.2mm	.213" 5.4mm	58,6,11,213
SP76094	.476" 12.1mm	.322" 8.2mm	.10" 2.54mm	6,11,213
SP76095	.448" 11.4mm	.322" 8.2mm	.10" 2.54mm	6,11,213,5,21,143,212,222,304 belden:8281,9231,9141
SP76096	.359" 9.12mm	.322" 8.2mm		F-59,62,6

Coax crimping tool - ratchet type
SP7610 ~ SP7618



Item No.	Hex	Hex	Hex	Hex	Pin	*SQ.pin	For crimping RG type cable
SP7610		.256" 6.5	.213" 5.41		.068" 1.73		58,59,62,
SP7612	.319" 8.1	.256" 6.5	.213" 5.41		.068" 1.73		6,58,59,62
SP7613	.255" 6.48	.213" 5.41	.137" 3.48	.100" 2.54	.068" 1.73	.043" 1.09	58,59,62,174,fiber optic
SP7614	.178" 4.52	.151" 3.84	.128" 3.25	.078" 1.98	.068" 1.73	.042" 1.07	174,179,fiber optic,belden 8218
SP7616		.255" 6.48	.213" 5.41	.187" 4.75	.068" 1.73		58,59,62,174
SP7617	.449" 11.4	.346" 8.8		.079" 2.00	.058" 1.48		7C,5C,4C
		.276" 7.0		.071" 1.8	.063" 1.6		
SP7618	.429" 10.9		.128" 3.25	.100" 2.54			8,11,174,179,213

Coax tool kits
SP76190 ~ SP76193



Item No.	Cutter	Coax. Stripper	Tool	Crimping tool			For crimping RG type cable	
				HEX spec.	Hex	Pin		
SP76190	SP7625 for .41" (10.5Ømm)	SP7605(6/58/59/62) 3 blades model	SP7610	.256" 6.5	.213" 5.41	.068" 1.72	59,62,140,210 belden 8279,55,58,141,142 223,303,400,fiber optic	
				.319" 8.1	.256" 6.5	.213" 5.41		.068" 1.72
SP76191	SP7625 for .41" (10.5Ømm)	SP7601 (58/59/62) 2 blades model	SP7612	.256" 6.5	.213" 5.41	.068" 1.72	59,62,140,210 belden 8279,55,58,141,142 223,303,400,fiber optic	
SP76192	SP7625 for .41" (10.5Ømm)	SP7601 (58/59/62) 2 blades model	SP7610	.256" 6.5	.213" 5.41	.068" 1.72	59,62,140,210 belden 8279,55,58,141,142 223,303,400,fiber optic	
SP76193	SP7625 for .41" (10.5Ømm)	SP7601 (58/59/62) 2 blades model	SP7612	.319" 8.1	.256" 6.5	.213" 5.41	.068" 1.72	59,62,140,210 belden 8279,55,58,141,142 223,303,400,fiber optic

Coax tool kits
SP76195



Item No.	Hex	Hex	Hex	Hex	Pin	*SQ.pin	For crimping RG type cable
SP7616		.255" 6.5	.213" 5.41	1.87" 4.75	.068" 1.73		55,58,59,62,140,141,142,210,223 174,303,400,fiber optic,belden 8279
SP7612 DIE	.319" 8.1	.256" 6.5	.213" 5.41		.068" 1.73		6,59,62,140,210,belden 8279 55,58,141,142,223,303,400,fiber optic
SP7613 DIE	.255" 6.48	.213" 5.41	.137" 3.50	.100" 2.54	.068" 1.73	.043" 1.1	59,62,8X,140,210,belden 8279 55,58,141,142,174,223,303,400,fiber optic
SP7614 DIE	.178" 4.52	.151" 3.84	.128" 3.25	.078" 2.00	.068" 1.73	.042" 1.07	122,174,179,180,187,188,195,fiber optic 178,316,belden 8218
SP7618 DIE	.429" 10.9		.128" 3.25	.100" 2.54			8,9,11,87A,149,165,213,214,216,225 393,174,179,187,188,316,belden 9913
SP7625	6 1/2" cable cutter for cutting cable Max.41"Ø(10.5mmØ)						
SP7602	4.3" coax stripper for stripping RG58/59/62/6/3C2V...						


SP76200
4" Insertion & extraction tools for RS232
(20AWG) crimp type contact pin



SP7625
(8 1/2)" Cable cutter curve blade cuts
wire up to 8Ømm



SP7621
(9 1/2)" IDC crimping fixture to assemble
flat cable onto IDC-type
connectors for
connectors
Height 6-27.5mm




SP76251
6.8" Flat cable cutter
For Max. 30mm width



SP7622
8" Ratchet modular crimping tool
For cuts-strips-crimps 2 types of plug in 1
For 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11,
6P2C, 4P4C, 4P2C



SP76255
7.3" Crimping tool
For insulated, non-insulated terminal
14-22 AWG, 22-26 AWG, 10-22 AWG 5.5-0.35 mm²



SP7623
8" Modular crimping tool
For cuts-strips-crimps 2 types of plug in 1
For 8P8C/RJ-45, 6P6C/RJ-12,
6P4C/RJ-11, 6P2C



SP762553
8" Crimping tool
W/cushion handle for comfortable operation
For non-insulated terminal 14 16 18 20 AWG 1.5, 2.5 mm²



SP76233
8" Professional modular crimping tool
For 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11 and 6P6C off-set
The DEC plug and 4P4C, 4P2C
W/ratchet strips & cuts



SP7626A /B
8.7" Ratchet crimping tool for pin terminal
(insulated or non-insulated ferrules)
A: 12 14 16 18 20 22 AWG 4.0 2.5 1.5 1.0 0.75 0.5 mm²
B: 8 8 10 AWG 16 10 6 mm²



SP7624
5" Stripper and cutter
W/adjustable screw controller 10 to 30 AWG 5.5 to 0.2mm²



SP76265
12.8" Ratchet crimping tool for
non-insulated terminal 6-18 AWG 16-0.75 mm²




SP7627
8.7" Ratchet crimping tool
For insulated terminals
10 12 14 16 18 22 AWG 6.0 4.0 2.5 1.5 1.0 0.5 mm²



SP7628
7.3" Nibbling tool (nickel plated)
Cuts up to 18AWG soft steel
1/16" soft plate



SP76273
8.7" Ratchet crimping tool for non-insulated open barrel and D-Sub connector 14-22 AWG



SP7629A /B /C
6.8" 7 In 1 tool
wire stripper, wire cutter, steel wire cutter, pliers, wire loop, scale mm & inch, crimping tool
A: 10 12 14 16 18 AWG
5.5 3.5 2.0 1.25 0.9 mm²
B: 16 18 20 22 24 26 AWG
1.25 0.9 0.5 0.35 0.2 mm²
C: 22 24 26 28 30 AWG
0.65 0.6 0.4 0.32 0.25 mm²



SP76274
8.25" Ratchet crimping tool for non-insulated open barrel and D-Sub connector (18-22AWG, 24-30AWG)



SP7641
(7 1/4)" Modular crimping tool



SP76276
8.7" Fiber optic crimping tool for .042" .068" .133" .162" .195"



SP7642
6.8" Tie gun tying and cutting



SP76279
5.8" Fiber optic cutting tool




SP76421
6.3" Tie gun tying and cutting



SP762795
6.3" Fiber optic stripping tool



SP7643
7" Self adjusting cutter / stripper for 0.5-8mm²



SP76433A /B

6.6" 5 In 1 tool
Wire stripper, wire cutter, steel wire cutter, pliers, wire loop
A: 10 12 14 16 18 20 AWG
2.6 2.0 1.6 1.3 1.0 0.8 mm²
B: 20 22 24 26 28 30 AWG
0.8 0.65 0.5 0.4 0.32 0.25 mm²




SP76513

8.5" F waterproof connector crimping tool
For RG59, RG6



SP7645

(9 1/2)" Coax crimping tool



SP76551

2.5" F connector tool
Screws F connector on to the threaded end and twists it to install the cable end



SP7649

(7 3/4)" Multi cutter
Stainless steel blade & aluminum handle w/tp grips



SP76554

3.93" 3 In 1 tool for F & RG59 & RG6 connector
Screws F connector on to the threaded end and twists it to install the cable end



SP7650

7.9" Duct cutter



SP76555A /B /C

F connector removal tool
Blade length :
A: 6" (156+2mm)
B: 8" (206+2mm)
C: 12"(308+2mm)



SP76505

11.8" Heavy-duty ratchet cable cutter
Cuts up to 600MCM copper, 750MCM aluminum power cable. Max. capacity is 2-1/8"(53mm) dia. or up to 2700 pair telephone cable



SP76565

2.6" Heat-sink tool
For absorb heat during soldering



SP76514

7.7" Compression connector crimping tool
For F, BNC, RCA, right angled and keystone connector



SP76570

5.9" Telecom splices crimping tool
For 19-26 (UR,UG), 22-26 (UY) AWG

